

Donaldson®
Torit®

BAG FILTERS



JOIN THE DURA-LIFE™ REVOLUTION

Donaldson® Torit® continually raises the bar in bag filter technology. Providing the widest range of bag filters for any baghouse collector, Donaldson Torit offers Dura-Life™ bags. Award-winning Dura-Life bag filters last two to three times longer than standard polyester bags when replaced due to excessive pressure drop, improving the performance, efficiency and bottom line of your baghouse dust collector.

Breathe easier with bag filters from the worldwide leader in dust collection. From Dura-Life high performance bags to specialty bags, no one can match Donaldson Torit's breadth and expertise. For the best bag filters that keep any brand of baghouse dust collector operating at its peak, rely on Donaldson Torit.

DONALDSON TORIT BAG FILTERS OFFER:

- Dura-Life "Twice the Life" filter media
- Improved efficiency
- Extensive selection to fit any collector
- Greater performance
- A wide range of media to cover most applications
- Best value



RF Dust Collector



IRD Dust Collector

DURA-LIFE™ Twice The Life Filter Bags



Modular Baghouse Collector



Dalamatric® Dust Collector

INNOVATION IS OUR BAG

BREAKTHROUGH TECHNOLOGY


As the global leader in filtration for over 90 years, Donaldson Torit continually engineers new baghouse dust collection technology that improves efficiency, raises performance and increases value. Dura-Life bag filters are the latest bag breakthrough, giving manufacturers a more cost-effective, high performance alternative to conventional polyester and other bag filters.

THE PROVEN PERFORMANCE OF DURA-LIFE:

- Twice the bag life*
- Better surface loading of dust
- Improved pulse cleaning
- Lower pressure drop
- FDA compliant versions available
- Reduced maintenance costs
- 99.9% efficiency**
- Energy savings
- Best value

DURA-LIFE FILTER MEDIA

Dura-Life bag filters are engineered with a unique hydro-entanglement process that uses water to blend the bag fibers, creating a more uniform material with smaller pore size that provides better surface loading of dust and prevents penetration deep into the media. In contrast, conventional polyester bags are manufactured with a needling process that creates larger pores where dust can embed into the fabric, inhibiting cleaning and reducing bag life. With better surface loading, Dura-Life bags provide improved pulse cleaning and a lower pressure drop, which results in extended bag life, less maintenance time and cost, energy savings and greater filtration efficiency.



**Needled Polyester Bag
Clean Air Side
(300X)**







**Dura-Life Bag
Clean Air Side
(300X)**

These photos were taken with a scanning electron microscope of bag media used in a collector that was filtering fly ash. The bags were removed after 2,700 hours of use. Air-to-media ratio was 4.5 to 1. Pressure drop after 2700 hours of operation was 6 in. (152.4 mm) on polyester bags and 2 in. (50.8 mm) on Dura-Life.

* Based on pressure drop

** By mass

BAG FILTER OPTIONS

				
	Dura-Life Polyester	Dura-Life Anti-Static	Dura-Life Oleophobic	Dura-Life Anti-Static Oleophobic
WEIGHT	10.5 oz/yd ² (355.9 g/m ²)	10.0 oz/yd ² (339.0 g/m ²)	10.0 oz/yd ² (339.0 g/m ²)	10.0 oz/yd ² (339.0 g/m ²)
THICKNESS	0.058-0.068 in. (1.47-1.72 mm)	0.058-0.068 in. (1.47-1.72 mm)	0.058-0.068 in. (1.47-1.72 mm)	0.058-0.068 in. (1.47-1.72 mm)
AIR PERMEABILITY	35-40 cfm @ 0.5" wg (59-68 m ³ /h @ 1.25 mbar)	43-51 cfm @ 0.5" wg (73-87 m ³ /h @ 1.25 mbar)	35-40 cfm @ 0.5" wg (59-68 m ³ /h @ 1.25 mbar)	43-51 cfm @ 0.5" wg (73-87 m ³ /h @ 1.25 mbar)
MAXIMUM OPERATING TEMPERATURE	275°F (135°C)	275°F (135°C)	275°F (135°C)	275°F (135°C)
MAXIMUM SURGE TEMPERATURE	300°F (149°C)	300°F (149°C)	300°F (149°C)	300°F (149°C)
ABRASION RESISTANCE	Good	Good	Good	Good
ALKALIES RESISTANCE	Good	Good	Good	Good
CHEMICAL RESISTANCE	Fair	Fair	Fair	Fair
ELECTRICAL RESISTANCE (ASTM IST 40.1)	NA	<1x08 ohms ²	NA	<1x08 ohms ²
SUBJECT TO HYDROLYSIS	Yes	Yes	Yes	Yes
OLEOPHOBICITY DROP TEST RATING	NA	NA	5.5 minimum	5.5 minimum
AVAILABLE FOR DONALDSON TORIT BAGHOUSE COLLECTORS	DLMC, DLMV, DU, DY, FS, FT, HPB, HP, IRD, LP, MB, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, DY, FS, FT, HPB, HP, LP, MB, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, DY, FS, FT, HPB, HP, LP, MB, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, DY, FS, FT, HPB, HP, LP, MB, PJ, PJD, RF, RJ, RSD, TJ








Donaldson Torit bag filters are available for all other brands of baghouse collectors (see listing on page 5).

COLOR CHART

Dura-Life
Media

Specialized
Media

Standard
Media

						
Aramid	PTFE® Tetratex®	P84®	Ryton®	Polypropylene	Polyester Felt Singed	Polyester Felt Glazed
14.0 oz/yd ² (474.6 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)	16.0 oz/yd ² (542.4 g/m ²)
0.080-0.100 in. (2.0-2.5 mm)	0.060-0.080 in. (1.5-2.0 mm)	0.090-0.110 in. (2.28-2.79 mm)	0.060-0.080 in. (1.5-2.0 mm)	0.085-0.100 in. (2.2-2.5 mm)	0.060-0.080 in. (1.5-2.0 mm)	0.060-0.080 in. (1.5-2.0 mm)
35-45 cfm @ 0.5" wg (59-76 m ³ /h @ 1.25 mbar)	10-12 cfm @ 0.5" wg (17-20 m ³ /h @ 1.25 mbar)	20-40 cfm @ 0.5" wg (34-68 m ³ /h @ 1.25 mbar)	25-45 cfm @ 0.5" wg (42-76 m ³ /h @ 1.25 mbar)	25-35 cfm @ 0.5" wg (42-59 m ³ /h @ 1.25 mbar)	25-35 cfm @ 0.5" wg (42-59 m ³ /h @ 1.25 mbar)	25-35 cfm @ 0.5" wg (42-59 m ³ /h @ 1.25 mbar)
400°F (204°C)	275°F (135°C)	460°F (238°C)	375°F (191°C)	200°F (93°C)	275°F (135°C)	275°F (135°C)
425°F (218°C)	350°F (177°C)	500°F (260°C)	375°F (191°C)	200°F (93°C)	300°F (149°C)	300°F (149°C)
Good	Excellent	Good	Good	Good	Good	Good
Good	Excellent	Poor	Excellent	Excellent	Good	Good
Fair	Excellent	Poor	Excellent	Excellent	Good	Good
NA	NA	NA	NA	NA	NA	NA
Yes	No	Yes	No	No	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
DLMC, DLMV, DU, DY, FS, FT, HP, LP, MB, PJ, PJD, RF, RSD, TJ	DLMC, DLMV, DU, FS, FT, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, FS, FT, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, FS, FT, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, DU, FS, FT, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ	DLMC, DLMV, FS, FT, HPB, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ	FS, FT, HPB, HP, LP, MB, MTJ, PJ, PJD, RF, RJ, RSD, TJ

BAGHOUSE ACRONYM

DLMC
DLMV
DU
DY
FS
FT
HPB
HP
IRD
LP

BAGHOUSE NAME

Dalomatic Cased
Dalomatic Insertable
Dalomatic Unit
DAYNAMIC
FS
FTD, FTP
HPB
HPT, HPW, HPH
IRD
LP

BAGHOUSE ACRONYM

MB, MB, MBT, MBW
MTJ
PJ
PJD
RF
RJ
RSD
TJ

BAGHOUSE NAME


Modular Baghouse
MTJ
PJ
PJD
RFT, RFW, RA
RJ
RSD
TJ

DURA-LIFE DELIVERS MORE BAG FOR THE BUCK

Don't be fooled by the initial lower purchase price of competitive replacement bag filters. Dura-Life bags last longer than conventional polyester, reducing bag changeouts, replacement bag costs, downtime and maintenance time and expense.

Unique Dura-Life technology traps dust on the surface of the bag, allowing dust to be easily pulsed off during cleaning, which results in lower pressure drop and annual energy savings. Standard in all Donaldson Torit baghouses and available as replacement bags for all other brands of baghouses, Dura-Life delivers the best value to your bottom line.

REPLACEMENT MEDIA SELECTION FOR PULSED BAGS



Items in bold denote the most logical choice. Dura-Life is intended as a replacement for glazed (aka mirror or eggshell) and singed polyester.

UNPARALLELED SERVICE & SUPPORT

HERE TO SERVE YOU

Providing technically advanced bag filters with the longest filtration life is just one of Donaldson Torit's distinctions. When it comes to customer support, no other filter bag manufacturer can match Donaldson Torit's technical expertise and commitment. Rely on Donaldson Torit to help you choose the best filters for your applications.

FILTER SELECTION

With the most extensive variety to choose from, Donaldson Torit offers the broadest selection of bag filters designed to meet the performance demands of specific applications

KNOWLEDGEABLE SUPPORT

Donaldson Torit aftermarket sales representatives help customers select the best bag filters for their application needs

QUICK DELIVERY

All in-stock Donaldson Torit made filters are shipped within 24 hours of order placement

DURA-LIFE™ for baghouse collectors

- AZO®
- Buhler
- Carter Day
- DCE
- Flex-Kleen
- Golfetto
- Kice
- MAC
- MikroPul
- Murphy
- Pneumafil
- Steelcraft®
- Wheelabrator
- + Many others



DURA-LIFE AVAILABILITY

Dura-Life bags are now standard in all Donaldson Torit baghouse collectors. Dura-Life replacement bags are available for our baghouse collectors as well as other brands of collectors

EASY ACCESS

For all types of bag filters, call Donaldson Torit customer service at **800-365-1331**



To learn more about Dura-Life bag filters,
Call 800-365-1331 or visit DonaldsonTorit.com

Industry-Leading Technology

- Advanced filtration technology for optimal performance
- Reduced energy consumption and cost of ownership
- Advanced design and testing capabilities

The Most Filters and Parts

- For every brand and style of collector
- Wide range of filtration media for any application
- 90,000 filters and parts in stock and ready to ship

Unparalleled Support

- Live technical specialists
- Comprehensive pre- and post-sale support
- 40 manufacturing plants and 14 distribution centers worldwide

Significantly improve the performance of your collector with genuine Donaldson Torit replacement filters and parts. **Call Donaldson Torit at 800-365-1331.**

Important Notice

Many factors beyond the control of Donaldson can affect the use and performance of Donaldson products in a particular application, including the conditions under which the product is used. Since these factors are uniquely within the user's knowledge and control, it is essential the user evaluate the products to determine whether the product is fit for the particular purpose and suitable for the user's application. All products, product specifications, availability and data are subject to change without notice, and may vary by region or country.



Donaldson.

Donaldson Company, Inc.
Minneapolis, MN
donaldson.com • shop.donaldson.com

North America
Email: donaldson@donaldson.com
Phone: (USA): +1-800-365-1331 • (MX): +1-800-343-36-39

Australasia
Email: marketing.australia@donaldson.com
Phone: +61-2-4350-2000
Toll Free: (AU) +1800-345-837 • (NZ) +0800-743-387

F118001 ENG (02/20) Bag Filter Overview ©2011-2020 Donaldson Company, Inc.

Donaldson, Torit, Dura-Life, Dalamatic, PTFE, Tetratex and the color blue are marks of Donaldson Company, Inc. All other marks belong to their respective owners.

China
Email: info.cn@donaldson.com
Phone: +86-400-820-1038

Donaldson Europe B.V.B.A.
Email: IAF-europe@donaldson.com
Phone: +32-16-38-3811

India
Email: info.difs@donaldson.com
Phone: +91-124-4807-400 • +18001035018

Japan
Email: jp-ndl.ifsweb@donaldson.com
Phone: +81-42-540-4112

Korea
Email: iaf-kr@donaldson.com
Phone: +82-2-517-3333

Latinoamerica
Email: IndustrialAir@donaldson.com
Phone: +52-449-300-2442

South Africa
Email: SAMarketing@donaldson.com
Phone: +27-11-997-6000

Southeast Asia
Email: IAF.SEA@donaldson.com
Phone: +65-6311-7373