



Donaldson® Alpha-Web™
Media Technology

REVOLUTIONARY HYDRAULIC FILTRATION FOR THE REAL WORLD



Fine fibers for rough work.

Donaldson®
ALPHA-WEB™

CLEANER HYDRAULIC FLUID IS THE ANSWER

75% of Hydraulic Failures Are Caused by Dirty Fluid

More than 75 percent of all hydraulic system failures can be traced back to contaminated fluid. Today's modern hydraulic systems operate at such high pressures that even microscopic particles can cause wear and tear on components, unplanned downtime and higher maintenance costs.

The cleanliness of your hydraulic fluid directly impacts your bottom line. **Clean hydraulic fluid can extend component life, increase uptime and lower the cost of ownership.**

To best protect your hydraulic equipment in real-world conditions, you need filtration that's been developed and tested to handle those conditions effectively and efficiently.

Donaldson® Alpha-Web™ hydraulic filtration technology is that protection.

ALPHA-WEB IMPROVES HYDRAULIC FLUID CLEANLINESS BY

2 ISO codes over synthetic media

That's hydraulic fluid up to **4x cleaner***

Which can **extend component life by 60%**

*Results achieved from lab testing. Field testing is ongoing.

Efficient Filtration Is Effective Filtration


Efficient filtration extends the life of your hydraulic fluid, therefore extending its protection of your components.

But how much does filter efficiency matter?

According to the Equipment Life Extension Table by Noria Corporation, the industry-accepted authority on fluid cleanliness, an improvement in fluid cleanliness by two ISO codes can extend component life by 60 percent. How much would you save annually if you could get 60 percent more life out of your components?

Alpha-Web: A New Standard in Filtration Media

With the 2021 industry ratification of ISO 23369, lab testing for hydraulic filtration more closely replicates the varying, or “cyclic” flow rates of real-world filter working conditions. This evolution of hydraulic filtration test standards has opened the door for new technology solutions.



The fine-fiber layer of Alpha-Web media enables high filtration efficiency during cyclic flow conditions, while minimizing dynamic events where particles are dislodged as the fluid flow changes. Alpha-Web is designed for enhanced filtration efficiency that is effective in real-world operating conditions.

What is your current ISO code?


Lab testing shows that Alpha-Web improves hydraulic fluid cleanliness by two ISO codes over today’s synthetic media. This means that operators get hydraulic fluid that is up to 4 times cleaner and can lead to longer component life. **This can lower overall cost of ownership and decrease downtime.**

Range of number of particles per milliliter

Code	More Than	Up to & Including	Code	More Than	Up to & Including
24	80,000	160,000	14	80	160
23	40,000	80,000	13	40	80
22	20,000	40,000	12	20	40
21	10,000	20,000	11	10	20
20	5,000	10,000	10	5	10
19	2,500	5,000	9	2.5	5
18	1,300	2,500	8	1.3	2.5
17	640	1,300	7	.64	1.3
16	320	640	6	.32	.64
15	160	320			


By dropping one ISO code, particle count shrinks by half. Dropping two ISO codes means fluid that is four times cleaner.

Fine-Fiber vs. Synthetic Media in Cyclic Conditions



Donaldson's 10µm Alpha-Web media delivers better efficiencies in cyclic conditions compared to legacy 10µm synthetic medias. Alpha-Web offers higher efficiency with a lower restrictive pressure drop.

Initial Restriction dP



Donaldson's 10µm Alpha-Web and 5µm legacy synthetic medias are comparable in efficiency performance. The 10µm Alpha-Web allows for a 20% lower pressure drop than the legacy 5µm synthetic media. In mobile hydraulic applications where high efficiency is required but restriction is a concern, 10µm Alpha-Web provides a significant benefit to legacy 5µm media.

Transformational Protection

Alpha-Web filtration media from Donaldson features a first-of-its-kind fine-fiber layer to trap and lock particles during frequent flow-rate changes, which delivers transformational improvement in hydraulic equipment protection.

Cleaner oil. Less downtime.

Extended component life.

Better performance.

That's Alpha-Web™

Downstream Wire

Alpha-Web Media

Upstream Wire



Alpha-Web's fine-fiber media and wire backing trap and lock particles to keep them from becoming dislodged during cyclic flow conditions.

Filter Replacement Cross Reference

Legacy Part Number	New Part Number
P170949	DBH0949
P163542	DBH3542
P165875	DBH5875



Donaldson Company, Inc.
Minneapolis, MN

shop.donaldson.com
donaldson.com

North America 800-374-1374
Mexico, Latin America & Caribbean 52-449-910-6150
Brazil 55-11-4894-6340
Europe 32-16-38-3811
South Africa 27-11-997-6000

South East Asia 65-6311-7373
Greater China 852-2405-8388
Japan 81-42-540-4112
Korea 82-2-517-3333
Australia 61-02-4350-2033
India 91-124-2290060

Brochure No. F111691 ENG (5/24)

©2024 Donaldson Company, Inc. All rights reserved. Donaldson Company, Inc. reserves the right to change or discontinue any model or specification at any time and without notice. Printed in the U.S.A.